

Table of Contents

BS2_ScanFingerprintEx	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

 **Fix Me!** This page is not fully translated, yet. Please help completing the translation.
(remove this paragraph once the translation is finished)

[Fingerprint API](#) > [BS2_ScanFingerprintEx](#)

BS2_ScanFingerprintEx

[+ 2.5.0] Scans a fingerprint from a device and extracts template data and scores.

Declaration

```
#include "BS_API.h"

int BS2_ScanFingerprintEx(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
uint32_t* outquality, OnReadyToScan ptrReadyToScan);
```

[See BS2Fingerprint Structure](#)

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [Out] *finger* : Pointer to store the template data
- [In] *templateIndex* : Template data index
- [In] *quality* : Required quality of fingerprint template
- [In] *templateFormat* : Format of the template
- [Out] *outquality* : Template quality score
- [Out] *ptrReadyToScan* : Callback function that is called when it's ready to scan a fingerprint

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.
If there is an error, the corresponding error code will be returned.

See Also

[BS2_VerifyFingerprint](#)

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_scanfingerprintex&rev=1521095797

Last update: **2018/03/15 15:36**