

**BS2\_EnrollUserEx** ..... 1  
..... 1  
..... 1  
..... 1  
..... 1

# BS2\_EnrollUserEx

[+ 2.6.3]

[BS2\\_EnrollUserEx](#)

```
#include "BS_API.h"

int BS2_EnrollUserEx(void* context, uint32_t deviceId, BS2UserBlobEx*
userBlob, uint32_t userCount, uint8_t overwrite);
```

[BS2UserBlobEx](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *userBlob* :
- [In] *userCount* :
- [In] *overwrite* :

BS\_SDK\_SUCCESS , 가

- [BS2\\_GetUserList](#)
- [BS2\\_RemoveUser](#)
- [BS2\\_RemoveAllUser](#)
- [BS2\\_GetUserInfos](#)
- [BS2\\_GetUserInfosEx](#)
- [BS2\\_EnrollUser](#)
- [BS2\\_EnrollUserEx](#)
- [BS2\\_GetUserDatas](#)
- [BS2\\_GetUserDatasEx](#)

From:

[https://kb.supremainc.com/bs2sdk./](https://kb.supremainc.com/bs2sdk/) - **BioStar 2 Device SDK**

Permanent link:

[https://kb.supremainc.com/bs2sdk./doku.php?id=ko:bs2\\_enrolluserex&rev=1557981926](https://kb.supremainc.com/bs2sdk./doku.php?id=ko:bs2_enrolluserex&rev=1557981926)

Last update: **2019/05/16 13:45**