

BS2_EnrollUserSmallEx 1
..... 1
..... 1
..... 1
..... 1

BS2_EnrollUserSmallEx

[+ 2.6.3]

[BS2UserBlobEx](#) 3 [BS2_EnrollUserEx](#) [BS2UserSmallBlobEx](#) [BS2UserPhoto가](#)

```

#include "BS_API.h"

int BS2_EnrollUserSmallEx(void* context, uint32_t deviceId,
BS2UserSmallBlobEx* userBlob, uint32_t userCount, uint8_t overwrite);

```

[BS2UserSmallBlobEx](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *userBlob* :
- [In] *userCount* :
- [In] *overwrite* :

BS_SDK_SUCCESS , 가

- [BS2_EnrollUserSmall](#)
- [BS2_EnrollUserSmallEx](#)
- [BS2_GetUserSmallInfosEx](#)
- [BS2_GetUserSmallDatasEx](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar 2 Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_enrollusersmallex&rev=1557810028

Last update: **2019/05/14 14:00**