

BS2_EnrollUserSmallEx 1
..... 1
..... 1
..... 1
..... 1

BS2_EnrollUserSmallEx

[+ 2.6.3]

[BS2UserBlobEx](#) [BS2_EnrollUserEx](#)
 3 [BS2UserSmallBlobEx](#) [BS2UserPhoto가](#)



```
#include "BS_API.h"

int BS2_EnrollUserSmallEx(void* context, uint32_t deviceId,
BS2UserSmallBlobEx* userBlob, uint32_t userCount, uint8_t overwrite);
```

[BS2UserSmallBlobEx](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *userBlob* :
- [In] *userCount* :
- [In] *overwrite* :

BS_SDK_SUCCESS , 가

[BS2_EnrollUserSmall](#)
[BS2_EnrollUserSmallEx](#)

[BS2_GetUserSmallInfos](#)
[BS2_GetUserSmallInfosEx](#)
[BS2_GetUserSmallDat](#)
[BS2_GetUserSmallDat](#)

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_enrollusersmallex&rev=1603347386

Last update: **2020/10/22 15:16**