

BS2_EnrolUser 1
..... 1
..... 1
..... 1
..... 2

BS2_EnrolUser



```
#include "BS_API.h"

int BS2_EnrolUser(void* context, uint32_t deviceId, BS2UserBlob* userBlob,
uint32_t userCount, uint8_t overwrite);
```

BS2UserBlob

- [In] *context* : Context
- [In] *deviceId* :
- [In] *userBlob* :
- [In] *userCount* :
- [In] *overwrite* :

BS_SDK_SUCCESS , 가

C++

```
sdkResult = BS2_EnrolUser(context_, id, &userBlob, 1, 1);
if (BS_SDK_SUCCESS != sdkResult)
TRACE("BS2_EnrolUser call failed: %d", sdkResult);
```

```
if (userBlob.cardObjs)
delete[] userBlob.cardObjs;

if (userBlob.fingerObjs)
delete[] userBlob.fingerObjs;

if (userBlob.faceObjs)
delete[] userBlob.faceObjs;
```

C#

```
BS2ErrorCode result = (BS2ErrorCode)API.BS2_EnrolUser(sdkContext, deviceID,
userBlob, 1, 1);
```

BS2_GetUserList
BS2_RemoveUser
BS2_RemoveAllUser
BS2_GetUserInfos
BS2_GetUserInfosEx
BS2_EnrolUser
BS2_EnrolUserEx
BS2_GetUserDatas
BS2_GetUserDatasEx

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_enroluser&rev=1640740249

Last update: **2021/12/29 10:10**