

BS2_EnrolUserEx 1
..... 1
..... 1
..... 1
..... 1

BS2_EnrolUserEx

[Deprecated]

[BS2_EnrollUserEx](#)

```
#include "BS_API.h"

int BS2_EnrolUserEx(void* context, uint32_t deviceId, BS2UserBlobEx*
userBlob, uint32_t userCount, uint8_t overwrite);
```

[BS2UserBlobEx](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *userBlob* :
- [In] *userCount* :
- [In] *overwrite* :

BS_SDK_SUCCESS , 가

- [BS2_GetUserList](#)
- [BS2_RemoveUser](#)
- [BS2_RemoveAllUser](#)
- [BS2_GetUserInfos](#)
- [BS2_GetUserInfosEx](#)
- [BS2_EnrolUser](#)
- [BS2_EnrolUserEx](#)
- [BS2_GetUserDatas](#)
- [BS2_GetUserDatasEx](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar 2 Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_enroluserex&rev=1557796498

Last update: **2019/05/14 10:14**