

**BS2\_EnrolUserEx** ..... 1  
..... 1  
..... 1  
..... 1  
..... 1

# BS2\_EnrolUserEx



```
#include "BS_API.h"

int BS2_EnrolUserEx(void* context, uint32_t deviceId, BS2UserBlobEx*
userBlob, uint32_t userCount, uint8_t overwrite);
```

[BS2UserBlobEx](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *userBlob* :
- [In] *userCount* :
- [In] *overwrite* :

BS\_SDK\_SUCCESS , 가

- [BS2\\_GetUserList](#)
- [BS2\\_RemoveUser](#)
- [BS2\\_RemoveAllUser](#)
- [BS2\\_GetUserInfos](#)

[BS2\\_GetUserInfosEx](#)  
[BS2\\_EnrolUser](#)  
[BS2\\_EnrolUserEx](#)  
[BS2\\_GetUserDatas](#)  
[BS2\\_GetUserDatasEx](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar 2 Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2\\_enroluserex&rev=1603331042](https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_enroluserex&rev=1603331042)

Last update: **2020/10/22 10:44**