

BS2_GetInterlockZone 1
..... 1
..... 1
..... 1
..... 1

BS2_GetInterlockZone

가 .

```
#include "BS_API.h"

int BS2_GetInterlockZone(void* context, BS2_DEVICE_ID deviceId,
BS2InterlockZoneBlob* zoneBlob, uint32_t* numZone);
```

[BS2InterlockZoneBlob](#)

- [In] *context* : Context
- [In] *deviceId* :
- [Out] *zoneBlob* : intrusion alarm zone
- [Out] *numZone* : intrusion alarm zone

zoneObj	BS2_ReleaseObject
---------	-----------------------------------

BS_SDK_SUCCESS , 가

- [BS2_GetInterlockZoneStatus](#)
- [BS2_GetAllInterlockZoneStatus](#)
- [BS2_SetInterlockZone](#)
- [BS2_SetInterlockZoneAlarm](#)
- [BS2_RemoveInterlockZone](#)

BS2_RemoveAllInterlockZone

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_getinterlockzone&rev=1520397257

Last update: **2018/03/07 13:34**