

BS2_GetLogSmallBlob 1

..... 1

..... 1

..... 1

..... 2

BS2_GetLogSmallBlob

[+ 2.6.4] EventMask 가 .
 BS2EventBlob BS2_GetLogBlob
 6 BS2EventSmallBlob imageObj가

```
#include "BS_API.h"

int BS2_GetLogSmallBlob(void* context, uint32_t deviceId, uint16_t
eventMask, uint32_t eventId, uint32_t amount, BS2EventSmallBlob** logsObj,
uint32_t* numLog);
```

BS2EventSmallBlob

- [In] *context* : Context
- [In] *deviceId* :
- [In] *eventMask* : event mask
- [In] *eventId* : ID , 0 가 .
- [In] *amount* : , 0 eventId 가 .
- [Out] *logsObj* :
- [Out] *numLog* :



BS_SDK_SUCCESS , 가

[BS2_GetLog](#)
[BS2_GetFilteredLog](#)
[BS2_ClearLog](#)
[BS2_GetLogBlob](#)

From:

[http://kb.supremainc.com/bs2sdk./](http://kb.supremainc.com/bs2sdk/) - **BioStar Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk./doku.php?id=ko:bs2_getlogsmallblob&rev=1581939856

Last update: **2020/02/17 20:44**