

BS2_GetUserDatas 1

..... 1

..... 1

..... 1

..... 2

BS2_GetUserDatas

[+ 2.5.0]
userMask

가 .
가 .

```
#include "BS_API.h"

int BS2_GetUserDatas(void* context, uint32_t deviceId, char* uids, uint32_t uidCount, BS2UserBlob* userBlob, BS2_USER_MASK userMask);
```

BS2UserBlob

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :
- [In] *userMask* : Mask

0x0000	
0x0001	data
0x0002	
0x0004	
0x0008	
0x0010	PIN
0x0020	
0x0040	
0x0080	
0x0100	
0xFFFF	

BS_SDK_SUCCESS , 가

[BS2_GetUserList](#)
[BS2_RemoveUser](#)
[BS2_RemoveAllUser](#) [BS2_GetUserInfos](#)
[BS2_GetUserInfosEx](#)
[BS2_EnrolUser](#)
[BS2_EnrolUserEx](#)
[BS2_GetUserDatas](#)
[BS2_GetUserDatasEx](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_getuserdatas&rev=1540949428

Last update: **2018/10/31 10:30**