

**BS2\_GetUserDatasEx** ..... 1

..... 1

..... 1

..... 1

..... 2

# BS2\_GetUserDatasEx

[+ 2.5.0]  
userMask

가 .  
가 .

```
#include "BS_API.h"

int BS2_GetUserDatasEx(void* context, uint32_t deviceId, char* uids,
uint32_t uidCount, BS2UserBlobEx* userBlob, BS2_USER_MASK userMask);
```

BS2UserBlobEx

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :
- [In] *userMask* : Mask

0x0000	
0x0001	data
0x0002	
0x0004	
0x0008	
0x0010	PIN
0x0020	
0x0040	
0x0080	
0x0100	
0x0200	Jobcode
0x0400	Phrase
0xFFFF	

BS\_SDK\_SUCCESS , 가

BS2\_GetUserList  
BS2\_RemoveUser  
BS2\_RemoveAllUser  
BS2\_GetUserInfos  
BS2\_GetUserInfosEx  
BS2\_EnrolUser  
BS2\_EnrolUserEx  
BS2\_GetUserDatas  
BS2\_GetUserDatasEx

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2\\_getuserdatasex&rev=1540949610](https://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_getuserdatasex&rev=1540949610)

Last update: **2018/10/31 10:33**