

BS2_GetUserSmallDatas 1

..... 1

..... 1

..... 2

..... 2

BS2_GetUserSmallDatas

[+ 2.6.3] [가](#) . [BS2UserBlob](#)
 userMask [가](#)
[BS2_GetUserDatas](#) 3 [BS2UserSmallBlob](#) [BS2UserPhoto가](#)

```
#include "BS_API.h"

int BS2_GetUserSmallDatas(void* context, uint32_t deviceId, char* uids,
uint32_t uidCount, BS2UserSmallBlob* userBlob, BS2_USER_MASK userMask);
```

[BS2UserSmallBlob](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :
- [In] *userMask* : Mask

0x0000	
0x0001	data
0x0002	
0x0004	
0x0008	
0x0010	PIN
0x0020	
0x0040	
0x0080	
0x0100	
0x0200	Jobcode
0x0400	Phrase
0xFFFF	

BS_SDK_SUCCESS , 가

[BS2_EnrollUserSmall](#)
[BS2_EnrollUserSmallEx](#)
[BS2_GetUserSmallInfos](#)
[BS2_GetUserSmallInfosEx](#)
[BS2_GetUserSmallDatas](#)
[BS2_GetUserSmallDatasEx](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_getusersmalldatas&rev=1557812105

Last update: **2019/05/14 14:35**