

BS2_VerifyUserSmall 1

..... 1

..... 1

..... 1

..... 2

BS2_VerifyUserSmall

[+ 2.6.3] User ID

BS2UserBlob BS2_VerifyUser

 5 BS2UserSmallBlob BS2UserPhoto가

```
#include "BS_API.h"

int BS2_VerifyUserSmall(void* context, uint32_t deviceId, uint16_t seq, int
handleResult, BS2UserSmallBlob* userBlob);
```

BS2UserSmallBlob

- [In] *context* : Context
- [In] *deviceId* :
- [In] *seq* :
- [In] *handleResult* : (BS_SDK_SUCCESS or BS_SDK_ERROR_XXX)
- [In] *userBlob* :

OnVerifyUser

handleResult가 BS_SDK_SUCCESS , userBlob가 null

BS_SDK_SUCCESS , 가

BS2_VerifyUserSmall
BS2_IdentifyUserSmall
BS2_VerifyUserSmallEx
BS2_IdentifyUserSmallEx

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_verifyusersmall

Last update: **2019/05/14 15:10**