

2.3 ..... 1

## 2.3

2016-08-03

- Multi Wiegand Format
- BioEntry W2

가

1. 가 .  
15 .

- [BS2\\_GetWiegandMultiConfig](#) 가
- [BS2\\_SetWiegandMultiConfig](#) 가
- [BS2WiegandMultiConfig](#) 가

2. **wiegandMultiSupported**가 [BS2SimpleDeviceInfo](#) 가 .  
[BS2SimpleDeviceInfo](#) 가 가 .

3. **0x0D**(BioEntry W2) [BS2SimpleDeviceInfo](#) 가 .  
[BS2SimpleDeviceInfo](#) BioEntry W2 가 , SDK 가 .

4. **IsAcceptableUserID** 가 [BS2\\_GetUserList](#) 가 .  
BioStar 2 Device SDK  
BioStar v1.91 BioStar v1.91 BioStation 2, BioStation A2,  
BioStation L2, BioEntry W2 BioStar 2 Device SDK  
BioStar 1 ID 4294967295 2 32 ID 가  
BioStar 1 ID 가 BioStar 1 ID 가  
가 가 .

```
#include "BS_API.h"

int BS2_GetUserList(void* context, uint32_t deviceId, char** uidsObjs,
uint32_t* numUid);
```

```
#include "BS_API.h"
```

```
int BS2_GetUserList(void* context, uint32_t deviceId, char** uidsObjs,
uint32_t* numUid, IsAcceptableUserID ptrIsAcceptableUserID);
```

```
BS2_GetUserList(context, deviceId, uidsObjs, numUid, null);
```

### 5. BS2\_GetLastFingerprintImage

가 가 .  
 가 가 . BioStar 2  
 가 .  
 가 , .

### 6. templateFormat

가 BS2\_ScanFingerprint 가 .  
 , ISO 19794-2, ANSI 384 3

0	Suprema Template
1	ISO19794-2
2	ANSI-378

```
#include "BS_API.h"
```

```
int BS2_ScanFingerprint(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, OnReadyToScan
ptrReadyToScan);
```

```
#include "BS_API.h"
```

```
int BS2_ScanFingerprint(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
OnReadyToScan ptrReadyToScan);
```

### 7. wiegandMultiConfig

가 BS2Configs 가 .  
 BS2Configs .  
 가 가 , BS2Configs 가 가 .

### 8. wiegandInputMask

가 BS2WiegandConfig 가 .  
 가 , 가 RS-485  
 가 . 가  
 , 0 , 2 , 6 ,

0000000010001010 . 0

9. **wiegandCardMask** 가 **BS2WiegandConfig** 가  
 가 ,  
 가  
 1 , 2 , 3 , 00000000000011110 . 0 ,

10. **wiegandCSNIndex** 가 **BS2WiegandConfig** 가  
 CSN ,  
 Mifare EM CSN ,  
 CSN 0 ,

11. **BS2WiegandConfig** reserved 가 **uint8\_t reserved[27]** **uint8\_t**  
**reserved[32]**  
**BS2WiegandConfig** 3 가 가 reserved 5

12. **BS2Door** **alarmFlags** 가 **uint8\_t unconditionalLock** **uint8\_t alarmFlags**  
**alarmFlags** **BS2Door** , **unconditionalLock** 가  
**unconditionalLock** 가 **alarmFlags** 가

From:  
<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:  
[http://kb.supremainc.com/bs2sdk/doku.php?id=ko:release\\_note\\_230&rev=1495437086](http://kb.supremainc.com/bs2sdk/doku.php?id=ko:release_note_230&rev=1495437086)

Last update: **2017/05/22 16:11**