

2.6.0	1
.....	1
.....	1
.....	2
.....	4
.....	4
.....	5

# 2.6.0

2018-10-31



- USB (BioStation A2, FaceStation 2)
- Debugging API
- 
- Global APB zone
- 
- 

## 1.USB 가

- [BS2\\_AllocateUsbContext](#) 가
- [BS2\\_ReleaseUsbContext](#) 가
- [BS2\\_GetUserDatabaseInfoFromDir](#) 가
- [BS2\\_GetUserListFromDir](#) 가
- [BS2\\_GetUserInfosFromDir](#) 가
- [BS2\\_GetUserDatasFromDir](#) 가
- [BS2\\_GetUserInfosExFromDir](#) 가
- [BS2\\_GetUserDatasExFromDir](#) 가
- [BS2\\_GetLogFromDir](#) 가
- [BS2\\_GetLogBlobFromDir](#) 가
- [BS2\\_GetFilteredLogFromDir](#) 가

## 2.SDK 가

- [BS2\\_SetDebugExCallback](#) 가

## 3. 가

- [BS2\\_SetServerPort](#) 가
- [BS2\\_SetSSLServerPort](#) 가

## 4.Global APB zone 가

- [BS2\\_SetCheckGlobalAPBViolationHandler](#) 가
- [BS2\\_CheckGlobalAPBViolation](#) 가

5. 가 .

- [BS2\\_IsConnected](#) 가

6. , 가 .

- [BS2\\_IsAutoConnection](#) 가
- [BS2\\_SetAutoConnection](#) 가

1. log , event mask .  
( mask )

- [BS2\\_GetLogBlob](#)
- [BS2\\_GetLogBlobFromDir](#)

2. userMask가 0x3FF , Invalid Parameter 가 .

- [BS2\\_GetUserDatas](#)
- [BS2\\_GetUserDatasEx](#)
- [BS2\\_GetUserDatasFromDir](#)
- [BS2\\_GetUserDatasExFromDir](#)

3. Multi context , context release crash가 .  
access violation .

- [BS2\\_AllocateContext](#)
- [BS2\\_ReleaseContext](#)

4. SDK packet , buffer overflow crash가 .

5. Entry , timeout .

- [BS2\\_RemoveAllUser](#)

6. , userMask가 BS2\_USER\_MASK\_ALL Not Supported 가 .

- [BS2\\_GetSupportedConfigMask](#)
- [BS2\\_GetSupportedUserMask](#)
- [BS2\\_GetUserDatas](#)
- [BS2\\_GetUserDatasEx](#)

## 7. Log data가 , crash가 .

- [BS2\\_GetLog](#)
- [BS2\\_GetFilteredLog](#)
- [BS2\\_GetLogFromDir](#)

## 8. RS485 multi packet packet .

## 9. Linux SDK timer가 . (signal thread )

## 10. Linux SDK signal handle memory dead-lock .

## 11. Linux socket , socket close SOCK\_CLOEXEC 가 .

## 12. Server matching lock/unlock .

## 13. , (disconnected status) keep alive code .

## 14. 가 .

: (0 < door) AND (card data가 ), (0 < card) AND (door ID가 )  
 : (0 < door) AND (door ID가 ), (0 < card) AND (card data가 )

- [BS2\\_SetIntrusionAlarmZone](#)

## 15. image log 가 timeout block .

- [BS2\\_GetImageLog](#)
- [BS2\\_GetLogBlobFromDir](#)

## 16. data가 , allocation memory 가 .

zoneBlob NULL .

- [BS2\\_GetIntrusionAlarmZone](#)

## 17. Socket 가 TCP 가 .

## 18. Entry , door ID가 65535 Invalid Parameter .

- [BS2\\_SetDoor](#)

## 19. TCP handshake 가 가 .

- 20. FaceStation2 가 .
- 21. [BS2\\_SearchDevicesCoreStation](#) crash .
- 22. [BS2\\_EnrolUser](#) face template, image .
- 23. Not supported .
  - [BS2\\_GetCardConfigEx](#)
  - [BS2\\_GetRS485ConfigEx](#)

2018-04-15

2.5.0	Device SDK가 OpenSSL library	,
2.6.0	library	.
	OpenSSL library	.
2.6.0	OpenSSL 1.0.2n library	.
	OpenSSL 1.0.2n Windows library	.

- (BioLite N2, Xpass D2)
- (DST)
- 
- 
- 

1. BioLite N2, Xpass D2 . Xpass D2 slave

2. 가 가 2 가 .

- [BS2\\_GetDstConfig](#) 가
- [BS2\\_SetDstConfig](#) 가
- [BS2DstConfig](#) 가
- [BS2Event](#)

3. . CoreStation 가 .

- [BS2\\_GetInterlockZone](#) 가
- [BS2\\_GetInterlockZoneStatus](#) 가
- [BS2\\_GetAllInterlockZoneStatus](#) 가
- [BS2\\_SetInterlockZone](#) 가
- [BS2\\_SetInterlockZoneAlarm](#) 가
- [BS2\\_RemoveInterlockZone](#) 가
- [BS2\\_RemoveAllInterlockZone](#) 가
- [BS2InterlockZoneBlob](#) 가

#### 4.

- [BS2\\_GetDataEncryptKey](#) 가
- [BS2\\_SetDataEncryptKey](#) 가
- [BS2\\_RemoveDataEncryptKey](#) 가

#### 5.

[BS2\\_ResetConfigExceptNetInfo](#) 가

[BS2\\_ResetConfig](#)

- [BS2\\_ResetConfigExceptNetInfo](#) 가

#### 6.

[BS2\\_GetDeviceInfo](#)

가

[BS2\\_GetDeviceInfoEx](#)

[BS2SimpleDeviceInfo](#)

가

[BS2SimpleDeviceInfoEx](#)

- [BS2\\_GetDeviceInfoEx](#) 가
- [BS2SimpleDeviceInfoEx](#) 가

#### 1. Wiegand In/Out

가

Wiegand mode 2

- [BS2WiegandConfig](#)

#### 2.

[BS2SystemConfig](#) secureTamper

가

가

[BS2\\_GetSystemConfig](#)

[BS2\\_SetSystemConfig](#)

- [BS2SystemConfig](#)

#### 3. FaceStation2

FS2 가

slave 가

FS2 [BS2SimpleDeviceInfo.fingersupported](#) 0 1

가 [BS2SimpleDeviceInfo](#) fingerSupported

- [BS2SimpleDeviceInfo](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

[http://kb.supremainc.com/bs2sdk./doku.php?id=ko:release\\_note\\_260&rev=1540958735](http://kb.supremainc.com/bs2sdk./doku.php?id=ko:release_note_260&rev=1540958735)

Last update: **2018/10/31 13:05**