

2.6.3 1
..... 1
..... 1
..... 3

2.6.3

2019-05-13

- XPass D2 Keypad
- IPv6
-
-
- `BS2_EnrollUser` `BS2_EnrollUserEx`
- `BS2UserBlob / BS2UserBlobEx`
`BS2UserSmallBlob / BS2UserSmallBlobEx` (User Photo)
- Admin User 1000

1. XPass D2 Keypad 가 .

2. IPv6 .
SDK가 IP V6 .

- [BS2IPV6Config](#) 가
- [BS2IPV6DeviceInfo](#) 가
- [BS2_SetDebugExCallback](#) 가
- [BS2_GetIPConfigViaUDPEx](#) 가
- [BS2_SetIPConfigViaUDPEx](#) 가
- [BS2_GetIPV6Config](#) 가
- [BS2_SetIPV6Config](#) 가
- [BS2_GetIPV6ConfigViaUDP](#) 가
- [BS2_SetIPV6ConfigViaUDP](#) 가
- [BS2_GetIPV6ConfigViaUDPEx](#) 가
- [BS2_SetIPV6ConfigViaUDPEx](#) 가
- [BS2_GetEnableIPV4:](#) 가
- [BS2_SetEnableIPV4:](#) 가
- [BS2_GetEnableIPV6:](#) 가
- [BS2_SetEnableIPV6:](#) 가
- [BS2_SetServerPortIPV6:](#) 가
- [BS2_GetServerPortIPV6:](#) 가
- [BS2_SetSSLServerPortIPV6:](#) 가
- [BS2_GetSSLServerPortIPV6:](#) 가
- [BS2_GetSpecifiedDeviceInfo:](#) 가
- [BS2_SearchDevicesCoreStationEx:](#) 가

3. 가 가 .

- [BS2_GetServerPort](#) 가
- [BS2_GetSSLServerPort](#) 가

4. 가 가 .

- [BS2_SetDefaultResponseTimeout](#) 가
- [BS2_GetDefaultResponseTimeout](#) 가

5. BS2_EnrollUser BS2_EnrollUserEx가 가 .
BS2_EnrolUser, BS2_EnrolUserEx ,가 가

- [BS2_EnrollUser](#) 가
- [BS2_EnrollUserEx](#) 가

6. BS2UserBlob BS2UserBlobEx BS2UserPhoto

photo ,
가 , 가
가 ,
BS2UserPhoto , 가

- [BS2UserSmallBlob](#) 가
- [BS2UserSmallBlobEx](#) 가
- [BS2_EnrollUserSmall](#) 가
- [BS2_EnrollUserSmallEx](#) 가
- [BS2_GetUserSmallInfos](#) 가
- [BS2_GetUserSmallDatass](#) 가
- [BS2_GetUserSmallInfosEx](#) 가
- [BS2_GetUserSmallDatassEx](#) 가
- [BS2_VerifyUserSmall](#) 가
- [BS2_IdentifyUserSmall](#) 가
- [BS2_VerifyUserSmallEx](#) 가
- [BS2_IdentifyUserSmallEx](#) 가
- [BS2_GetUserSmallInfosFromDir](#) 가
- [BS2_GetUserSmallDatassFromDir](#) 가
- [BS2_GetUserSmallInfosExFromDir](#) 가
- [BS2_GetUserSmallDatassExFromDir](#) 가

7. 1000 가 .
BS2AuthConfig , 10 가

1000 가 .
[BS2_SetAuthConfig](#) .

- [BS2AuthOperatorLevel](#) 가
- [BS2_GetAuthOperatorLevelEx](#) 가
- [BS2_GetAllAuthOperatorLevelEx](#) 가
- [BS2_SetAuthOperatorLevelEx](#) 가
- [BS2_RemoveAuthOperatorLevelEx](#) 가
- [BS2_RemoveAllAuthOperatorLevelEx](#) 가

1. BS2_UpgradeFirmware firmware file , Code sign
 , SDK
 firmware file
 - [BS2_UpgradeFirmware](#)
- 2.
3. 가 SSL ,
4. crash
 - [BS2_SearchDevicesEx](#)
- 5.SDK
 (hang)
 - [BS2_ReleaseContext](#)
 - [BS2_SetMaxThreadCount](#)
- 6.iClass SEOS card config BS_SDK_ERROR_NOT_SUPPORTED 가
 - [BS2_GetCardConfigEx](#)
7. SSL SSL ,
- 8.Lift control floor level 가
 - [BS2_GetFloorLevel](#)
- 9.Server template 384byte
- 10.Slave 가
 - [BS2_ScanFingerprint](#)
 - [BS2_VerifyFingerprint](#)
11.
 timeout
 BS_SDK_ERROR_NOT_SUPPORTED
 - [BS2_GetConfig](#)

12. Access schedule

- [BS2_SetAccessSchedule](#)

13. 가

14. SDK

15. SSL SSL

16. Socket (5ms . 10 100ms)

17. SDK thread

[BS2_SetMaxThreadCount](#) : thread thread

timer 2 , server matching 1 , notification 1 , TCP/UDP 1 6
thread

thread 8 , 8 thread 6
thread 2

[BS2_SetMaxThreadCount](#) : thread 가 thread
2 thread timer 2 , server matching
1 , notification 1 , TCP/UDP 1 6
BS2_SetMaxThreadCount

	()	() ()	()
BS2_SetMaxThreadCount	MAX(NumberOfCpuCores*5, 15)	8 (thread 8-6 = 2)	MAX(NumberOfCpuCores*5, 15) 2
BS2_SetMaxConnectThreadCount	8	1	8 1

18. IP , IP port

19. [C#] BS2Door alarmFlags unconditionalLock

20. [C#] BS2SoundAction delay 가 가

21. [C#] LogControl BS2_GetLogBlob BS2EventMaskEnum.JOB_CODE가 BS2EventMaskEnum.ALL

22. [C#] CardControl blacklist

23. [C#] ConfigControl BS2_SetDstConfig startTime.weekDay endTime.weekDay

24.[C#] SlaveControl slave device 가 가 .

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk./doku.php?id=ko:release_note_263&rev=1557906005

Last update: **2019/05/15 16:40**