

2.6.3 ..... 1  
..... 1  
..... 1  
..... 3

## 2.6.3

2019-06-28

- XPass D2 Keypad
- XPass 2, XPass 2 Keypad
- IPv6
- 
- 
- `BS2_EnrollUser` `BS2_EnrollUserEx`
- `BS2UserBlob / BS2UserBlobEx`  
`BS2UserSmallBlob / BS2UserSmallBlobEx` (User Photo )
- Admin User 1000
- Face Lite
- 
- 

1. XPass D2 Keypad 가 .

2. XPass 2, XPass 2 Keypad 가 .

3. IPv6 .  
SDK가 IP V6 .

- [BS2IPV6Config](#) 가
- [BS2IPv6DeviceInfo](#) 가
- [BS2\\_SetDebugExCallback](#) 가
- [BS2\\_GetIPConfigViaUDPEX](#) 가
- [BS2\\_SetIPConfigViaUDPEX](#) 가
- [BS2\\_GetIPV6Config](#) 가
- [BS2\\_SetIPV6Config](#) 가
- [BS2\\_GetIPV6ConfigViaUDP](#) 가
- [BS2\\_SetIPV6ConfigViaUDP](#) 가
- [BS2\\_GetIPV6ConfigViaUDPEX](#) 가
- [BS2\\_SetIPV6ConfigViaUDPEX](#) 가
- [BS2\\_GetEnableIPV4:](#) 가
- [BS2\\_SetEnableIPV4:](#) 가
- [BS2\\_GetEnableIPV6:](#) 가
- [BS2\\_SetEnableIPV6:](#) 가
- [BS2\\_SetServerPortIPV6:](#) 가
- [BS2\\_GetServerPortIPV6:](#) 가
- [BS2\\_SetSSLServerPortIPV6:](#) 가
- [BS2\\_GetSSLServerPortIPV6:](#) 가
- [BS2\\_GetSpecifiedDeviceInfo:](#) 가

- [BS2\\_SearchDevicesCoreStationEx](#): 가

4. 가 가 .

- [BS2\\_GetServerPort](#) 가
- [BS2\\_GetSSLServerPort](#) 가

5. 가 가 .

- [BS2\\_SetDefaultResponseTimeout](#) 가
- [BS2\\_GetDefaultResponseTimeout](#) 가

6. [BS2\\_EnrollUser](#) [BS2\\_EnrollUserEx](#)가 가 .  
[BS2\\_EnrollUser](#), [BS2\\_EnrollUserEx](#)

- [BS2\\_EnrollUser](#) 가
- [BS2\\_EnrollUserEx](#) 가

7. [BS2UserBlob](#) [BS2UserBlobEx](#) [BS2UserPhoto](#)

photo

가 가 , 가 .  
 2.6.3 가 [BS2UserPhoto](#) , 가

- [BS2UserSmallBlob](#) 가
- [BS2UserSmallBlobEx](#) 가
- [BS2\\_EnrollUserSmall](#) 가
- [BS2\\_EnrollUserSmallEx](#) 가
- [BS2\\_GetUserSmallInfos](#) 가
- [BS2\\_GetUserSmallInfosEx](#) 가
- [BS2\\_GetUserSmallInfosFromDir](#) 가
- [BS2\\_GetUserSmallInfosExFromDir](#) 가
- [BS2\\_GetUserSmallDatases](#) 가
- [BS2\\_GetUserSmallDatasesEx](#) 가
- [BS2\\_VerifyUserSmall](#) 가
- [BS2\\_VerifyUserSmallEx](#) 가
- [BS2\\_IdentifyUserSmall](#) 가
- [BS2\\_IdentifyUserSmallEx](#) 가
- [BS2\\_GetUserSmallInfosFromDir](#) 가
- [BS2\\_GetUserSmallDatasesFromDir](#) 가
- [BS2\\_GetUserSmallInfosExFromDir](#) 가
- [BS2\\_GetUserSmallDatasesExFromDir](#) 가

8. 1000 가 .  
[BS2AuthConfig](#) , 10 가

2.6.3 1000 가 .



BS2AuthConfig	1000	가
BS2AuthConfig		
BS2AuthConfig		가

- [BS2AuthOperatorLevel](#) 가
- [BS2\\_GetAuthOperatorLevelEx](#) 가
- [BS2\\_GetAllAuthOperatorLevelEx](#) 가
- [BS2\\_SetAuthOperatorLevelEx](#) 가
- [BS2\\_RemoveAuthOperatorLevelEx](#) 가
- [BS2\\_RemoveAllAuthOperatorLevelEx](#) 가

9. Face Lite 가 .

10. 가 .

- [BS2Fingerprint](#)
- [BS2\\_GetFingerTemplateQuality](#) 가

11. 가 .

- [BS2\\_SetDebugFileLog](#) 가

1. Firmware file , Code sign , SDK

firmware file .

- [BS2\\_UpgradeFirmware](#)

2. ,

3. 가 SSL ,

4. crash .

- [BS2\\_SearchDevicesEx](#)

5. SDK

(hang)

- [BS2\\_ReleaseContext](#)
- [BS2\\_SetMaxThreadCount](#)

6. iClass SEOS card config (BS\_SDK\_ERROR\_NOT\_SUPPORTED)

- [BS2\\_GetCardConfigEx](#)

7. SSL SSL ,

8. Lift control floor level 가

- [BS2\\_GetFloorLevel](#)

9. template 384byte

10. Slave 가

- [BS2\\_ScanFingerprint](#)
- [BS2\\_VerifyFingerprint](#)

11. 가 timeout ,

BS\_SDK\_ERROR\_NOT\_SUPPORTED

- [BS2\\_GetConfig](#)

12. Access schedule ,

- [BS2\\_SetAccessSchedule](#)

13. 가 ,

14. SDK

15. SSL SSL

16. Socket ( 5ms . 10 100ms )

17. thread  
[BS2\\_SetMaxThreadCount](#) (2.6.3 ):  
thread  
timer(2), server matching(1), notification(1), TCP/UDP (1)

6 thread thread  
 thread thread 8  
 8 thread 6 thread 2

BS2\_SetMaxThreadCount (2.6.3):

thread 가 thread 2

	( )	( )	( )	( )
BS2_SetMaxThreadCount	MAX(NumberOfCpuCores*5, 15)	8	MAX(NumberOfCpuCores*5, 15)	2
BS2_SetMaxConnectThreadCount	8	1	8	1

18. IP , IP port

19. [C# ] BS2Door alarmFlags unconditionalLock

20. [C# ] BS2SoundAction delay 가 가

21. [C# ] LogControl BS2\_GetLogBlob BS2EventMaskEnum.JOB\_CODE가  
 BS2EventMaskEnum.ALL

22. [C# ] CardControl blacklist

23. [C# ] ConfigControl BS2\_SetDstConfig startTime.weekDay  
 endTime.weekDay

24. [C# ] SlaveControl slave device 가 가

25. 가

- [BS2FaceConfig](#)

26. 가 가

- [BS2FaceConfig](#)

From:  
<https://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:  
[https://kb.supremainc.com/bs2sdk/doku.php?id=ko:release\\_note\\_263&rev=1563788216](https://kb.supremainc.com/bs2sdk/doku.php?id=ko:release_note_263&rev=1563788216)

Last update: **2019/07/22 18:36**

