

2.6.3	(V2.6.3.5)	1
	1
	1
	3

2.6.3 (V2.6.3.5)

2019-07-24

- XPass D2 Keypad
- Face Lite
- XPass 2, XPass 2 Keypad
- IPv6 (BS2 FW 1.8.0 only)
-
-
- BS2_EnrollUser BS2_EnrollUserEx
- BS2UserBlob / BS2UserBlobEx
- BS2UserSmallBlob / BS2UserSmallBlobEx (User Photo)
- Admin User 1000 (BS2 1.8.0, A2 1.7.0, L2 1.5.0, N2 1.2.0, FS 1.3.0, FaceLite 1.0.1, CS40 1.3.0, P2 1.3.0, W2 1.4.0, Xpass 2 1.0.0 ,)
-
-

1. XPass D2 Keypad 가 .

2. Face Lite 가 .

3. XPass 2, XPass 2 Keypad 가 .

4. IPv6 .
SDK가 IP V6 .

- [BS2IPV6Config](#) 가
- [BS2IPV6DeviceInfo](#) 가
- [BS2_SetDebugExCallback](#) 가
- [BS2_GetIPConfigViaUDPEx](#) 가
- [BS2_SetIPConfigViaUDPEx](#) 가
- [BS2_GetIPV6Config](#) 가
- [BS2_SetIPV6Config](#) 가
- [BS2_GetIPV6ConfigViaUDP](#) 가
- [BS2_SetIPV6ConfigViaUDP](#) 가
- [BS2_GetIPV6ConfigViaUDPEx](#) 가
- [BS2_SetIPV6ConfigViaUDPEx](#) 가
- [BS2_GetEnableIPV4](#) 가
- [BS2_SetEnableIPV4](#) 가
- [BS2_GetEnableIPV6](#) 가
- [BS2_SetEnableIPV6](#) 가
- [BS2_SetServerPortIPV6](#) 가

- [BS2_GetServerPortIPv6](#) 가
- [BS2_SetSSLServerPortIPv6](#) 가
- [BS2_GetSSLServerPortIPv6](#) 가
- [BS2_GetSpecifiedDeviceInfo](#) 가
- [BS2_SearchDevicesCoreStationEx](#) 가

5. 가 가 .

- [BS2_GetServerPort](#) 가
- [BS2_GetSSLServerPort](#) 가

6. 가 가 .

- [BS2_SetDefaultResponseTimeout](#) 가
- [BS2_GetDefaultResponseTimeout](#) 가

7. BS2_EnrollUser BS2_EnrollUserEx가 가 .

BS2_EnrollUser, BS2_EnrollUserEx .

- [BS2_EnrollUser](#) 가
- [BS2_EnrollUserEx](#) 가

8. BS2UserBlob BS2UserBlobEx BS2UserPhoto

photo .

가 가 , 가 .

2.6.3 BS2UserPhoto ,

가 .

- [BS2UserSmallBlob](#) 가
- [BS2UserSmallBlobEx](#) 가
- [BS2_EnrollUserSmall](#) 가
- [BS2_EnrollUserSmallEx](#) 가
- [BS2_GetUserSmallInfos](#) 가
- [BS2_GetUserSmallInfosEx](#) 가
- [BS2_GetUserSmallInfosEx](#) 가
- [BS2_GetUserSmallInfosEx](#) 가
- [BS2_VerifyUserSmall](#) 가
- [BS2_IdentifyUserSmall](#) 가
- [BS2_VerifyUserSmallEx](#) 가
- [BS2_IdentifyUserSmallEx](#) 가
- [BS2_GetUserSmallInfosFromDir](#) 가
- [BS2_GetUserSmallInfosFromDir](#) 가
- [BS2_GetUserSmallInfosExFromDir](#) 가
- [BS2_GetUserSmallInfosExFromDir](#) 가


9. 1000 가 .

[BS2AuthConfig](#) , 10

가

2.6.3 1000 가 .

가 .



- [BS2AuthOperatorLevel](#) 가
- [BS2_GetAuthOperatorLevelEx](#) 가
- [BS2_GetAllAuthOperatorLevelEx](#) 가
- [BS2_SetAuthOperatorLevelEx](#) 가
- [BS2_RemoveAuthOperatorLevelEx](#) 가
- [BS2_RemoveAllAuthOperatorLevelEx](#) 가

10. 가 .

- [BS2Fingerprint](#)
- [BS2_GetFingerTemplateQuality](#) 가

11. 가 .

- [BS2_SetDebugFileLog](#) 가

1. Firmware file , Code sign , SDK

firmware file .

- [BS2_UpgradeFirmware](#)

2. ,

3. 가 SSL ,

4. crash .

- [BS2_SearchDevicesEx](#)

5. SDK

(hang)

- [BS2_ReleaseContext](#)
- [BS2_SetMaxThreadCount](#)

6. iClass SEOS

card config

(BS_SDK_ERROR_NOT_SUPPORTED)

- [BS2_GetCardConfigEx](#)

7.

SSL

SSL

8. Lift control

floor level 가

- [BS2_GetFloorLevel](#)

9.

template 384byte

10. Slave

가

- [BS2_ScanFingerprint](#)
- [BS2_VerifyFingerprint](#)

11.

가

timeout

BS_SDK_ERROR_NOT_SUPPORTED

- [BS2_GetConfig](#)

12. Access schedule

- [BS2_SetAccessSchedule](#)

13.

가

14. SDK

15. SSL

SSL

16. Socket

(5ms

. 10

100ms

)

17.

thread

[BS2_SetMaxThreadCount](#) (2.6.3):

thread

timer(2), server matching(1), notification(1), TCP/UDP (1)
 6 thread thread .
 thread 8 .
 8 thread 6 thread 2

BS2_SetMaxThreadCount (2.6.3):

thread 가 thread . 2 .

	()	()	()	()
BS2_SetMaxThreadCount	MAX(NumberOfCpuCores*5, 15)	8	MAX(NumberOfCpuCores*5, 15)	2
BS2_SetMaxConnectThreadCount	8	1	8	1

18. BS2_ConnectDeviceViaIP , IP ,
 IP port .

19. [C#] BS2Door alarmFlags unconditionalLock .

20. [C#] BS2SoundAction delay 가 가 .

21. [C#] LogControl BS2_GetLogBlob BS2EventMaskEnum.JOB_CODE가
 BS2EventMaskEnum.ALL .

22. [C#] CardControl blacklist .

23. [C#] ConfigControl BS2_SetDstConfig startTime.weekDay
 endTime.weekDay .

24. [C#] SlaveControl slave device 가 가 .

25. 가 .

- [BS2SystemConfig](#)

26. 가 .

- [BS2FaceConfig](#)

27. 가 가 .

- [BS2FaceConfig](#)

28. () 가 .

- [BS2FaceConfig](#)
- [BS2FingerprintConfig](#)

29. GDPR() 가 .

- [BS2SystemConfig](#)

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk./doku.php?id=ko:release_note_263&rev=1692247282

Last update: **2023/08/17 13:41**