

2.8.0      **(V2.8.0.5)** ..... 1  
            ..... 1  
            ..... 1  
            ..... 2

# 2.8.0 (V2.8.0.5)

2021-06-04

- X-Station 2
- Intelligent Slave
- WARP 가 (FaceStation F2)
- 가
- Mobile 가
- 가

## 1. X-Station 2 가 .

- [BS2BarcodeConfig](#)
- [BS2\\_GetBarcodeConfig](#)
- [BS2\\_SetBarcodeConfig](#)
- [BS2\\_WriteQRCode](#)

## 2. Intelligent Slave . 가 (

Intelligent Slave ID) ODSP .

[Intelligent Slave Support](#)

- [BS2Rs485Config](#)
- [BS2\\_GetRS485Config](#)
- [BS2\\_SetRS485Config](#)

## 3. WARP (가 ) , WARP 가

- [BS2\\_GetNormalizedImageFaceEx](#)

## 4. 가 .

- [BS2DeviceCapabilities](#)
- [BS2\\_GetDeviceCapabilities](#)

## 5. Mobile 가 가 .

- [BS2Event subCode](#)

## 6. [BS2\\_GetCardModel](#) 가 가 .

- [BS2\\_GetCardModel](#)
- BEW2-ODPB
- BEW2-OAPB
- BEW2-OHPB

1. Master: CoreStation 40, Slave: FaceStation 2 / FaceLite FaceStation 2,  
 FaceLite template , CoreStation 40  
 BS\_SDK\_ERROR\_TIMEOUT 가 가 .

- [BS2\\_EnrolUser](#)
- [BS2\\_EnrollUser](#)
- [BS2\\_EnrolUserEx](#)
- [BS2\\_EnrollUserEx](#)
- [BS2\\_EnrollUserSmall](#)
- [BS2\\_EnrollUserSmallEx](#)
- [BS2\\_EnrollUserFaceEx](#)

2. (700 ) , V2.7.2.x 가

- [BS2\\_EnrolUser](#)
- [BS2\\_EnrollUser](#)
- [BS2\\_EnrolUserEx](#)
- [BS2\\_EnrollUserEx](#)
- [BS2\\_EnrollUserSmall](#)
- [BS2\\_EnrollUserSmallEx](#)
- [BS2\\_EnrollUserFaceEx](#)

3. Event config FaceLite config ,  
 BS\_SDK\_SUCCESS BS\_SDK\_ERROR\_NOT\_SUPPORTED .

- [BS2\\_GetEventConfig](#)

4. SDK allocation release , 가

- [BS2\\_AllocateContext](#)
- [BS2\\_ReleaseContext](#)

5. [BS2\\_ReleaseContext](#) , , 51212,  
 51213 가 .

6. connect/cisconnect event deadlock  
 가 .

7. [BS2\\_ReleaseContext](#) , crash 가 .

8. Display , timeout 10 , 가 reset  
가 .

- [BS2DisplayConfig](#) menuTimeout, msgTimeout, backlightTimeout
- [BS2\\_SetDisplayConfig](#)

9. 4 core [BS2\\_SearchDevices](#) , CPU 99% 가 가

10. FaceStation F2 white LED (Not used) 가 .

10. FaceStation F2 Only [BS2FaceConfig](#) lightCondition

			0	1	2	3
1.0.0 ~ 1.0.5	Ambient Brightness		Normal	High	Auto	-
1.1.0	Light Brightness		Normal	High	- (Deprecated)	Not used

- [BS2FaceConfig](#) lightCondition

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

[https://kb.supremainc.com/bs2sdk/doku.php?id=ko:release\\_note\\_280&rev=1623027570](https://kb.supremainc.com/bs2sdk/doku.php?id=ko:release_note_280&rev=1623027570)

Last update: **2021/06/07 09:59**