

# Table of Contents

**BS2\_GetUserInfosFromDirWithKey**

API

Return value

Watch Together

.....

.....

.....

.....

1

1

1

1

[USB Exported Control API](#) > [BS2\\_GetUserInfosFromDirWithKey](#)

## BS2\_GetUserInfosFromDirWithKey

[+2.8.2] Gets the user information corresponding to the user identifier from the data extracted by USB.

### API

```
#include "BS_API.h"
```

```
int BS2_GetUserInfosFromDirWithKey(void* context, const char* szDir, char* uids, uint32_t uidCount, BS2UserBlob* userBlob, const BS2EncryptKey* key);
```

View the structure of BS2UserBlob] </callout> ===== Parameters ===== \* [In] "///context///" : Context \* [In] "///szDir///" : Data storage path \* [In] "///uids///" : List of user identifiers to be imported \* [In] "///uidCount///" : Number of user identifiers \* [Out] "///userBlob///" : Pointer to store user information \* [In] "///key///" : Encryption key and the key value specified by [[BS2\_SetDataEncryptKey

### Return value

Returns BS\_SDK\_SUCCESS if performed successfully, or a corresponding error code if an error occurs.

### Watch Together

[BS2\\_GetUserDatabaseInfoFromDirWithKey](#)  
[BS2\\_GetUserListFromDirWithKey](#)  
[BS2\\_GetUserDatasFromDirWithKey](#)  
[BS2\\_GetUserInfosExFromDirWithKey](#)  
[BS2\\_GetUserDatasExFromDirWithKey](#)  
[BS2\\_GetLogFromDirWithKey](#)  
[BS2\\_GetLogBlobFromDirWithKey](#)  
[BS2\\_GetFilteredLogFromDirWithKey](#)

From:  
<https://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:  
[https://kb.supremainc.com/bs2sdk./doku.php?id=en:bs2\\_getuserinfosfromdirwithkey&rev=1650243140](https://kb.supremainc.com/bs2sdk./doku.php?id=en:bs2_getuserinfosfromdirwithkey&rev=1650243140)

Last update: **2022/04/18 09:52**

