2020/12/02 07:47 1/1 Version 2.7.2 (V2.7.2.4)

# **Table of Contents**

| Version 2.7.2 (V2.7.2.4) | <br>1 |
|--------------------------|-------|
| Date                     | <br>1 |
| New Features             | <br>1 |
| Modified Features        | <br>1 |

2020/12/02 07:47 1/2 Version 2.7.2 (V2.7.2.4)

## **Version 2.7.2 (V2.7.2.4)**

### **Date**

2020-11-10

### **New Features**

- Supports Wiegand output User ID
- ${f 1.}$  You can select either Card ID or User ID for Wiegand output setting.
  - Refer to structure BS2WiegandConfig
  - Refer to API BS2 GetWiegandConfig
  - Refer to API BS2\_SetWiegandConfig

#### **Modified Features**

1. File log output structure of internal SDK has been changed.

Before, it used to write a file from each event processing thread, but now there's a separate file writing thread.

It leads to improve the speed of event processing.

- Refer to API BS2 SetDebugFileLog
- 2. When enrolling multiple face users to FaceStation F2, Fixed an issue that could cause the BS SDK ERROR NO FACE CREDENTIAL(-759) error.
  - Refer to API BS2 EnrollUserFaceEx
- 3. Fixed an issue where the callback may not work intermittenly when the device is disconnected
  - Refer to API BS2 SetDeviceEventListener
- **4.** There were fixes for stabilizing the code inside the SDK.

#### From:

http://kb.supremainc.com/bs2sdk/ - BioStar 2 Device SDK

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=en:release\_note\_272&rev=1604984406

Last update: 2020/11/10 14:00

2020/12/02 07:47 2/2 Version 2.7.2 (V2.7.2.4)