

Face API	1
FaceEx API	1
.....	1
BS2Face	1
BS2AuthGroup	2
BS2TemplateEx	2
BS2FaceEx	3

Face API

API	
• BS2_ScanFace : FaceStation2	
• BS2_GetAuthGroup :	가 .
• BS2_GetAllAuthGroup :	가 . *
• BS2_SetAuthGroup :	.
• BS2_RemoveAuthGroup :	.
• BS2_RemoveAllAuthGroup :	.

FaceEx API

• BS2_ScanFaceEx : FaceStation F2	.
[+ V2.7.1]	
• BS2_ExtractTemplateFaceEx : FaceStation F2	가 template
[+ V2.7.1]	.

BS2Face

```
typedef struct {
    uint8_t faceIndex;
    uint8_t numOfTemplate;
    uint8_t flag;
    uint8_t reserved;

    uint16_t imageLen;
    uint8_t reserved2[2];

    uint8_t imageData[BS2_FACE_IMAGE_SIZE];
    uint8_t templateData[BS2_TEMPLATE_PER_FACE][BS2_FACE_TEMPLATE_LENGTH];
} BS2Face;
```

1. *faceIndex*
2. *numOfTemplate*
3. *flag*
4. *reserved*

5. *imageLen*

6. *reserved2*

4. *imageData*

5. *data*

BS2AuthGroup

```
typedef struct {
    BS2_AUTH_GROUP_ID    id;
    char                 name[BS2_MAX_AUTH_GROUP_NAME_LEN];
    uint8_t              reserved[32];
} BS2AuthGroup;
```

1. *id*

2. *name*
BioStar

3. *reserved*

BS2TemplateEx

```
typedef struct {
    uint8_t              data[552];
    uint8_t              isIR;
    uint8_t              reserved[3];
} BS2TemplateEx;
```

FaceStation F2

1. *data*
IR visual

2. *isIR*
IR true, visual false

3. *reserved*

BS2FaceEx

```
typedef struct {
    uint8_t      faceIndex;
    uint8_t      numOfTemplate;
    uint8_t      flag;
    uint8_t      reserved;

    uint32_t      imageLen;
    union {
        struct {
            uint16_t irImageLen;
            uint8_t  unused[6];          ///< 6 bytes (packing)
            uint8_t  imageData[BS2_MAX_WARPED_IMAGE_LENGTH];    ///<
40 * 1024 bytes
            uint8_t  irImageData[BS2_MAX_WARPED_IR_IMAGE_LENGTH];    ///<
30 * 1024 bytes
            BS2TemplateEx templateEx[BS2_MAX_TEMPLATES_PER_FACE_EX];    ///<
20 * 556 bytes
        };

        uint8_t      *rawImageData;
    };
} BS2FaceEx;
```

FaceStation F2

1. *faceIndex*

2. *numOfTemplate*

Visual, IR

3. *flag*

가 WARP

WARP ,

flag가 1

flag가 0

가 WARP

```
flag BS2 FACE EX FLAG NONE(0)
```

imageLen

rawImageData

가

WARP

struct

rawImageData struct가 union

BS2_FACE_EX_FLAG_NONE	0x00
BS2_FACE_EX_FLAG_WARPED	0x01
BS2_FACE_EX_FLAG_ALL	0xFF

4. *reserved*

5. *imageLen*

6. *irlImageLen*

IR

7. *unused*

. (packing)

8. *imageData*

WARP

. *rawImageData*

9. *irlImageData*

IR

. WARP

IR

10. *templateEx*

Visual IR

11. *rawImageData*

WARP

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk/doku.php?id=ko:face_api&rev=1603327298

Last update: **2020/10/22 09:41**