

# Table of Contents

<b>BS2_EnrollUserSmallEx</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	1

User Management API > [BS2\\_EnrollUserSmallEx](#)

---

## BS2\_EnrollUserSmallEx

[+ 2.6.3] Enrolls new user with efficient use of memory.

The only difference between [BS2\\_EnrollUserEx](#) which is using structure [BS2UserBlobEx](#) is that the 3rd parameter `BS2UserPhoto` of `BS2UserSmallBlobEx` is using pointer for efficient memory use.

### Information

Please use [BS2\\_EnrollUserFaceEx](#) for user enrollment to FaceStation F2.

## Declaration

```
#include "BS_API.h"

int BS2_EnrollUserSmallEx(void* context, uint32_t deviceId,
BS2UserSmallBlobEx* userBlob, uint32_t userCount, uint8_t overwrite);
```

[See BS2UserSmallBlobEx Structure](#)

## Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *userBlob* : User information trying to enroll
- [In] *userCount* : Number of users
- [In] *overwrite* : Whether to overwrite duplicated user

## Return Value

If successfully done, `BS_SDK_SUCCESS` will be returned.

If there is an error, the corresponding error code will be returned.

## See Also

[BS2\\_EnrollUserSmall](#)

[BS2\\_EnrollUserSmallEx](#)  
[BS2\\_GetUserSmallInfos](#)  
[BS2\\_GetUserSmallInfosEx](#)  
[BS2\\_GetUserSmallDatas](#)  
[BS2\\_GetUserSmallDatasEx](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=en:bs2\\_enrollusersmallex&rev=1603332368](https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_enrollusersmallex&rev=1603332368)

Last update: **2020/10/22 11:06**