

# Table of Contents

<b>BS2_GetAuthGroup</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	1

[Face API](#) > [BS2\\_GetAuthGroup](#)

---

## BS2\_GetAuthGroup

Retrieves selected authentication groups.

### Declaration

```
#include "BS_API.h"

int BS2_GetAuthGroup(void* context, uint32_t deviceId, uint32_t*
authGroupIds, uint32_t authGroupIdCount, BS2AuthGroup** authGroupObj,
uint32_t* numAuthGroup);
```

[See BS2AuthGroup Structure](#)

### Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *authGroupIds* : List of authentication groups to retrieve
- [In] *authGroupIdCount* : Number of authentication groups to retrieve
- [Out] *authGroupObj* : Authentication group list pointer
- [Out] *numAuthGroup* : Number of authentication groups

#### NOTE

The *authGroupObj* variable needs to return the memory to the system by the [BS2\\_ReleaseObject](#) function after being used.

### Return Value

If successfully done, `BS_SDK_SUCCESS` will be returned.  
If there is an error, the corresponding error code will be returned.

### See Also

[BS2\\_GetAllAuthGroup](#)

[BS2\\_SetAuthGroup](#)  
[BS2\\_RemoveAuthGroup](#)  
[BS2\\_RemoveAllAuthGroup](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=en:bs2\\_getauthgroup](https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_getauthgroup)

Last update: **2017/06/28 10:59**