

# Table of Contents

<b>BS2_GetImageLog</b> .....	1
Declaration .....	1
Paramter .....	1
Return Value .....	1

[Log Management API](#) > [BS2\\_GetImageLog](#)

---

## BS2\_GetImageLog

[+ 2.5.0] Gets image logs using event ID.

### Declaration

```
#include "BS_API.h"

int BS2_GetImageLog(void* context, uint32_t deviceId, uint32_t eventId,
uint8_t** imageObj, uint32_t* imageSize);
```

### Paramter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *eventId* : Event ID
- [Out] *imageObj* : Pointer to store the image log
- [Out] *imageSize* : Size of image log

#### NOTE

The logsObj variable needs to return the memory to the system by the BS2\_ReleaseObject function after being used.

### Return Value

If successfully done, BS\_SDK\_SUCCESS will be returned.

If there is an error, the corresponding error code will be returned.

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=en:bs2\\_getimagelog&rev=1581991179](https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_getimagelog&rev=1581991179)

Last update: **2020/02/18 10:59**