

# Table of Contents

<b>BS2_GetLogBlobFromDir</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	2

## BS2\_GetLogBlobFromDir

Gets certain amount of logs based on the event mask from storage path in device.

### Declaration

```
#include "BS_API.h"

int BS2_GetLogBlobFromDir(void* context, const char* szDir, uint16_t
eventMask, BS2_EVENT_ID eventId, uint32_t amount, BS2EventBlob** logsObj,
uint32_t* numLog);
```

[See BS2EventBlob Structure](#)

### Parameter

- [In] *context* : Context
- [In] *szDir* : Storage path in device
- [In] *eventMask* : event mask
- [In] *eventId* : Log record ID. When the value is 0, gets the logs from the beginning.
- [In] *amount* : Maximum number of logs. When the value is 0, gets the logs starting from the event ID.
- [Out] *logsObj* : Pointer to store the log record's address.
- [Out] *numLog* : Number of log records.

#### NOTE

The logsObj variable needs to return the memory to the system by the [BS2\\_ReleaseObject](#) function after being used.

### Return Value

If successfully done, BS\_SDK\_SUCCESS will be returned.  
If there is an error, the corresponding error code will be returned.

## See Also

[BS2\\_GetLogFromDir](#)

[BS2\\_GetFilteredLogFromDir](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=en:bs2\\_getlogblobfromdir&rev=1504600908](https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_getlogblobfromdir&rev=1504600908)

Last update: **2017/09/05 17:41**