

# Table of Contents

<b>BS2_GetUserDatas</b> .....	1
Declaration .....	1
Paramter .....	1
Return Value .....	2
함께 보기 .....	2

 **This page is not fully translated, yet. Please help completing the translation.**  
(remove this paragraph once the translation is finished)

User Management API > [BS2\\_GetUserDatas](#)

## BS2\_GetUserDatas

[+ 2.5.0] It gest user dafta for the user ID.  
You can get selected data of the user ID using userMask.

### Declaration

```
#include "BS_API.h"

int BS2_GetUserDatas(void* context, uint32_t deviceId, char* uids, uint32_t uidCount, BS2UserBlob* userBlob, BS2_USER_MASK userMask);
```

[BS2UserBlob structure](#)

### Paramter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *uids* : User ID list trying to get
- [In] *uidCount* : Number of user ID
- [Out] *userBlob* : Pointer to store the user information
- [In] *userMask* : User Mask

Value	Description
0x0000	User ID
0x0001	User data
0x0002	User setting
0x0004	User name
0x0008	Image
0x0010	PIN
0x0020	Card
0x0040	Fingerprint
0x0080	Face
0x0100	Access group
0xFFFF	All information

## Return Value

성공적으로 수행될 경우 BS\_SDK\_SUCCESS를 반환하고, 에러가 발생할 경우 상응하는 에러 코드를 반환합니다.

## 함께 보기

[BS2\\_GetUserList](#)  
[BS2\\_RemoveUser](#)  
[BS2\\_RemoveAllUser](#)  
[BS2\\_GetUserInfos](#)  
[BS2\\_GetUserInfosEx](#)  
[BS2\\_EnrolUser](#)  
[BS2\\_EnrolUserEx](#)  
[BS2\\_GetUserDatas](#)  
[BS2\\_GetUserDatasEx](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=en:bs2\\_getuserdatas&rev=1551671819](https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_getuserdatas&rev=1551671819)

Last update: **2019/03/04 12:56**