

# Table of Contents

<b>BS2_GetUserInfos</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	1

[User Management API](#) > [BS2\\_GetUserInfos](#)

---

## BS2\_GetUserInfos

Gets the user information of the given user ID.

### Declaration

```
#include "BS_API.h"

int BS2_GetUserInfos(void* context, uint32_t deviceId, char* uids, uint32_t uidCount, BS2UserBlob* userBlob);
```

[See BS2UserBlob Structure](#)

### Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *uids* : User ID list trying to get
- [In] *uidCount* : Number of user ID
- [Out] *userBlob* : Pointer to store the user information

### Return Value

If successfully done, `BS_SDK_SUCCESS` will be returned.  
If there is an error, the corresponding error code will be returned.

### See Also

[BS2\\_GetUserList](#)  
[BS2\\_EnrolUser](#)  
[BS2\\_RemoveUser](#)  
[BS2\\_RemoveAllUser](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=en:bs2\\_getuserinfo](https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_getuserinfo)

Last update: **2016/07/12 10:22**