

Table of Contents

| | |
|--|---|
| <i>BS2_GetUserSmallInfosFromDir</i> | 1 |
| Declaration | 1 |
| Parameter | 1 |
| Return Value | 1 |
| See Also | 1 |

[USB Exported Control API](#) > [BS2_GetUserSmallInfosFromDir](#)

BS2_GetUserSmallInfosFromDir

[+ 2.6.3] Gets the user information of the given user ID from USB exported data.

The only difference between with [BS2_GetUserInfosFromDir](#) which is using structure [BS2UserBlob](#) is that the 5th parameter `BS2UserPhoto` of `BS2UserSmallBlob` is using pointer for efficient memory use.

Declaration

```
#include "BS_API.h"

int BS2_GetUserSmallInfosFromDir(void* context, const char* szDir, char*
uids, uint32_t uidCount, BS2UserSmallBlob* userBlob);
```

[See BS2UserSmallBlob Structure](#)

Parameter

- [In] `context` : Context
- [In] `szDir` : Storage path in device
- [In] `uids` : User ID list trying to get
- [In] `uidCount` : Number of user ID
- [Out] `userBlob` : Pointer to store the user information

Return Value

If successfully done, `BS_SDK_SUCCESS` will be returned.

See Also

[BS2_GetUserSmallInfosFromDir](#)
[BS2_GetUserSmallDatasFromDir](#)
[BS2_GetUserSmallInfosExFromDir](#)
[BS2_GetUserSmallDatasExFromDir](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_getusersmallinfosfromdir&rev=1560326000

Last update: **2019/06/12 16:53**