

Table of Contents

BS2_PartialUpdateUserFaceEx

Declaration

Parameter

반환값

함께 보기

샘플코드(C++)

샘플코드(C#)

..... 1

..... 1

..... 1

..... 2

..... 2

..... 2

..... 4

 **This page is not fully translated, yet. Please help completing the translation.**
(remove this paragraph once the translation is finished)

User Management API > [BS2_PartialUpdateUserFaceEx](#)

BS2_PartialUpdateUserFaceEx

[+ 2.8.3] Updates partial information of an already registered user. The user you want to renew must be a registered user.
You can optionally specify the partial information you want to update using the mask.
If you want to delete partial information, you can delete it in combination with [BS2User](#) infoMask.

Declaration

```
#include "BS_API.h"

int BS2_PartialUpdateUserFaceEx(void* context, uint32_t deviceId,
BS2_USER_MASK mask, BS2UserFaceExBlob* userBlob, uint32_t userCount);
```

See [BS2UserFaceExBlob](#) structure

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *mask*: Mask for the part of the user you want to update

Value	Description
0x0002	User settings (personal authentication mode, validity period)
0x0004	User Name
0x0008	Image
0x0010	PIN
0x0020	Card
0x0040	Fingerprint
0x0080	Face
0x0100	Access group
0x0200	Jobcode
0x0400	Private Message
0x0800	Face (FSF2, BS3)
0x1000	User setting (FSF2, BS3)

- [In] *userBlob* : Partial user information you want to update
- [In] *userCount* : Number of users

반환값

성공적으로 수행될 경우 BS_SDK_SUCCESS를 반환하고,
BS2_EVENT_USER_UPDATE_PARTIAL_SUCCESS 이벤트가 발생합니다.
실패했을 경우 상응하는 에러 코드를 반환하고, 장치 발생 오류라면
BS2_EVENT_USER_UPDATE_PARTIAL_FAIL 이벤트가 발생합니다.

함께 보기

[BS2_PartialUpdateUser](#)
[BS2_PartialUpdateUserEx](#)
[BS2_PartialUpdateUserSmall](#)
[BS2_PartialUpdateUserSmallEx](#)
[BS2_PartialUpdateUserFaceEx](#)

샘플코드(C++)

[sample_partialupdateuserfaceex.cpp](#)

```
BS2_USER_MASK maskWantUpdate = BS2_USER_MASK_SETTING |  
BS2_USER_MASK_SETTING_EX | BS2_USER_MASK_JOB;  
int sdkResult = BS_SDK_SUCCESS;  
  
BS2UserFaceExBlob userBlob = { , };  
BS2User& user = userBlob.user;  
BS2UserSetting& setting = userBlob.setting;  
BS2UserSettingEx& settingEx = userBlob.settingEx;  
  
setting.fingerAuthMode = BS2_AUTH_MODE_NONE;  
setting.cardAuthMode = BS2_AUTH_MODE_NONE;  
setting.idAuthMode = BS2_AUTH_MODE_NONE;  
  
settingEx.faceAuthMode = BS2_AUTH_MODE_NONE;  
settingEx.fingerprintAuthMode = BS2_AUTH_MODE_NONE;  
settingEx.cardAuthMode = BS2_AUTH_MODE_NONE;  
settingEx.idAuthMode = BS2_AUTH_MODE_NONE;  
  
if (BS_SDK_SUCCESS != (sdkResult = uc.getUserBlobUserID(user)))  
    return sdkResult;  
  
if ((maskWantUpdate & BS2_USER_MASK_SETTING) == BS2_USER_MASK_SETTING)  
{
```

```
    if (BS_SDK_SUCCESS != (sdkResult =
uc.getUserBlobExpiryDate(setting)))
        return sdkResult;

    if (BS_SDK_SUCCESS != (sdkResult =
uc.getUserBlobPrivateAuthMode(setting, deviceInfo, deviceInfoEx)))
        return sdkResult;

    if (BS_SDK_SUCCESS != (sdkResult =
uc.getUserBlobSecurityLevel(setting)))
        return sdkResult;
}

if ((maskWantUpdate & BS2_USER_MASK_SETTING_EX) ==
BS2_USER_MASK_SETTING_EX)
{
    if (BS_SDK_SUCCESS != (sdkResult =
uc.getUserBlobPrivateAuthModeEx(settingEx, deviceInfo, deviceInfoEx)))
        return sdkResult;
}

// ...

if ((maskWantUpdate & BS2_USER_MASK_JOB) == BS2_USER_MASK_JOB)
{
    if (BS_SDK_SUCCESS != (sdkResult =
uc.getUserBlobJobCode(userBlob.job)))
        return sdkResult;

    user.infoMask |= BS2_USER_INFO_MASK_JOB_CODE;
}

// ...

user.numCards = ;
if ((maskWantUpdate & BS2_USER_MASK_CARD) == BS2_USER_MASK_CARD)
{
    // ...
}

int sdkResult = BS2_PartialUpdateUserFaceEx(context, id,
maskWantUpdate, &userBlob, 1);
if (BS_SDK_SUCCESS != sdkResult)
{
    TRACE("BS2_PartialUpdateUserFaceEx call failed: %d", sdkResult);
    return sdkResult;
}
```

샘플코드(C#)

sample_partialupdateuserfaceex.cs

```
BS2_USER_MASK mask = (BS2_USER_MASK)BS2UserMaskEnum.SETTING |
(BS2_USER_MASK)BS2UserMaskEnum.SETTING_EX |
(BS2_USER_MASK)BS2UserMaskEnum.JOB;

BS2ErrorCode sdkResult = BS2ErrorCode.BS_SDK_SUCCESS;
BS2UserFaceExBlob[] userBlob =
Util.AllocateStructureArray<BS2UserFaceExBlob>(1);

userBlob[0].cardObjs = IntPtr.Zero;
userBlob[0].fingerObjs = IntPtr.Zero;
userBlob[0].faceObjs = IntPtr.Zero;
userBlob[0].user_photo_obj = IntPtr.Zero;
userBlob[0].faceExObjs = IntPtr.Zero;

userBlob[0].setting.fingerAuthMode = (byte)BS2FingerAuthModeEnum.NONE;
userBlob[0].setting.cardAuthMode = (byte)BS2CardAuthModeEnum.NONE;
userBlob[0].setting.idAuthMode = (byte)BS2IDAuthModeEnum.NONE;

userBlob[0].settingEx.faceAuthMode = (byte)BS2ExtFaceAuthModeEnum.NONE;
userBlob[0].settingEx.fingerprintAuthMode =
(byte)BS2ExtFingerprintAuthModeEnum.NONE;
userBlob[0].settingEx.cardAuthMode = (byte)BS2ExtCardAuthModeEnum.NONE;
userBlob[0].settingEx.idAuthMode = (byte)BS2ExtIDAuthModeEnum.NONE;

string userID;
if (BS2ErrorCode.BS_SDK_SUCCESS != (sdkResult = getUserBlobUserID(ref
userBlob[0].user, out userID)))
    return;

if ((mask & (BS2_USER_MASK)BS2UserMaskEnum.SETTING) ==
(BS2_USER_MASK)BS2UserMaskEnum.SETTING)
{
    if (BS2ErrorCode.BS_SDK_SUCCESS != (sdkResult =
getUserBlobExpiryDate(ref userBlob[0].setting)))
        return;

    if (BS2ErrorCode.BS_SDK_SUCCESS != (sdkResult =
getUserBlobPrivateAuthMode(ref userBlob[0].setting)))
        return;

    if (BS2ErrorCode.BS_SDK_SUCCESS != (sdkResult =
getUserBlobSecurityLevel(ref userBlob[0].setting)))
        return;
}

if ((mask & (BS2_USER_MASK)BS2UserMaskEnum.SETTING_EX) ==
```

```
(BS2_USER_MASK)BS2UserMaskEnum.SETTING_EX)
{
    if (BS2ErrorCode.BS_SDK_SUCCESS != (sdkResult =
getUserBlobPrivateAuthModeEx(ref userBlob[].settingEx)))
        return;
}

// ...

if ((mask & (BS2_USER_MASK)BS2UserMaskEnum.JOB) ==
(BS2_USER_MASK)BS2UserMaskEnum.JOB)
{
    if (BS2ErrorCode.BS_SDK_SUCCESS != (sdkResult =
getUserBlobJobCode(ref userBlob[].job)))
        return;

    userBlob[].user.infoMask |= (byte)BS2UserInfoMaskEnum.JOB_CODE;
}

// ...

userBlob[].user.numCards = ;
if ((mask & (BS2_USER_MASK)BS2UserMaskEnum.CARD) ==
(BS2_USER_MASK)BS2UserMaskEnum.CARD)
{
    // ...
}

sdkResult = (BS2ErrorCode)API.BS2_PartialUpdateUserFaceEx(sdkContext,
deviceID, mask, userBlob, (UInt32)1);
if (BS2ErrorCode.BS_SDK_SUCCESS != sdkResult)
    Console.WriteLine("BS2_PartialUpdateUserFaceEx call failed {0}",
sdkResult);
```

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_partialupdateuserfaceex&rev=1662516697

Last update: **2022/09/07 11:11**