

# Table of Contents

<b>BS2_ReleaseUsbContext</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	1

[USB Exported Control API](#) > [BS2\\_ReleaseUsbContext](#)

---

## BS2\_ReleaseUsbContext

[Deprecated][+ 2.5.0] Releases context which is allocated from the API [BS2\\_AllocateUsbContext](#). It doesn't do anything if pointer value is NULL.

### Declaration

```
#include "BS_API.h"

void BS2_ReleaseUsbContext(void* context);
```

### Parameter

- [In] *context* : USB Context

### Return Value

Void

### See Also

[BS2\\_AllocateUsbContext](#)  
[BS2\\_GetUserDatabaseInfoFromDir](#)  
[BS2\\_GetUserListFromDir](#)  
[BS2\\_GetUserInfosFromDir](#)  
[BS2\\_GetUserDatasFromDir](#)  
[BS2\\_GetUserInfosExFromDir](#)  
[BS2\\_GetUserDatasExFromDir](#)  
[BS2\\_GetLogFromDir](#)  
[BS2\\_GetLogBlobFromDir](#)  
[BS2\\_GetFilteredLogFromDir](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=en:bs2\\_releaseusbcontext](https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_releaseusbcontext)

Last update: **2022/04/22 12:22**