

# Table of Contents

<b><i>BS2_RemoveAccessLevel</i></b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	1

[Access Control API](#) > [BS2\\_RemoveAccessLevel](#)

---

## BS2\_RemoveAccessLevel

Removes selected access levels.

### Declaration

```
#include "BS_API.h"

int BS2_RemoveAccessLevel(void* context, uint32_t deviceId, uint32_t*
accessLevelIds, uint32_t accessLevelIdCount);
```

### Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *accessLevelIds* : List of access level IDs to remove
- [In] *accessLevelIdCount* : Number of access levels to remove

### Return Value

If successfully done, `BS_SDK_SUCCESS` will be returned.  
If there is an error, the corresponding error code will be returned.

### See Also

[BS2\\_GetAccessLevel](#)  
[BS2\\_GetAllAccessLevel](#)  
[BS2\\_SetAccessLevel](#)  
[BS2\\_RemoveAllAccessLevel](#)

From:  
<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:  
[http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2\\_removeaccesslevel](http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_removeaccesslevel)

Last update: **2017/03/01 17:18**