

Table of Contents

BS2_RemoveAccessSchedule	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

[Access Control API](#) > [BS2_RemoveAccessSchedule](#)

BS2_RemoveAccessSchedule

Removes selected time schedules.

Declaration

```
#include "BS_API.h"

int BS2_RemoveAccessSchedule(void* context, BS2_DEVICE_ID deviceId,
uint32_t* accessScheduleIds, uint32_t accessScheduleIdCount);
```

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *accessScheduleIds* : List of access schedule IDs to remove
- [In] *accessScheduleIdCount* : Number of access schedules to remove

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.
If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetAccessSchedule](#)
[BS2_GetAllAccessSchedule](#)
[BS2_SetAccessSchedule](#)
[BS2_RemoveAllAccessSchedule](#)

From:
<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:
https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_removeaccessschedule

Last update: **2017/03/01 17:19**