

Table of Contents

BS2_RemoveAllTimedAntiPassbackZone	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

[Zone Control API](#) > [BS2_RemoveAllTimedAntiPassbackZone](#)

BS2_RemoveAllTimedAntiPassbackZone

Removes all timed Anti Passback zones.

Declaration

```
#include "BS_API.h"

int BS2_RemoveAllTimedAntiPassbackZone(void* context, uint32_t deviceId);
```

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.
If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetTimedAntiPassbackZone](#)
[BS2_GetAllTimedAntiPassbackZone](#)
[BS2_GetTimedAntiPassbackZoneStatus](#)
[BS2_GetAllTimedAntiPassbackZoneStatus](#)
[BS2_SetTimedAntiPassbackZone](#)
[BS2_SetTimedAntiPassbackZoneAlarm](#)
[BS2_RemoveTimedAntiPassbackZone](#)
[BS2_ClearTimedAntiPassbackZoneStatus](#)
[BS2_ClearAllTimedAntiPassbackZoneStatus](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_removealltimedantipassbackzone

Last update: **2016/02/17 14:51**