

Table of Contents

- BS2_RemoveScheduledLockUnlockZone** 1
- Declaration 1
- Parameter 1
- Return Value 1
- See Also 1

[Zone Control API](#) > [BS2_RemoveScheduledLockUnlockZone](#)

BS2_RemoveScheduledLockUnlockZone

Removes selected Scheduled Lock/Unlock zones.

Declaration

```
#include "BS_API.h"

int BS2_RemoveScheduledLockUnlockZone(void* context, uint32_t deviceId,
uint32_t* zoneIds, uint32_t zoneIdCount);
```

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *zoneIds* : List of Scheduled Lock/Unlock zone IDs to remove
- [In] *zoneIdCount* : Number of Scheduled Lock/Unlock zones to remove

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.

If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetScheduledLockUnlockZone](#)
[BS2_GetAllScheduledLockUnlockZone](#)
[BS2_GetScheduledLockUnlockZoneStatus](#)
[BS2_GetAllScheduledLockUnlockZoneStatus](#)
[BS2_SetScheduledLockUnlockZone](#)
[BS2_SetScheduledLockUnlockZoneAlarm](#)
[BS2_RemoveAllScheduledLockUnlockZone](#)

From:
<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:
https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_remoovescheduledlockunlockzone

Last update: **2017/03/01 17:22**

