

# Table of Contents

<b>BS2_ScanFace</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1

[Face API](#) > [BS2\\_ScanFace](#)

---

## BS2\_ScanFace

IR Face based Scans the face from a device and extracts template and image data.

### Declaration

```
#include "BS_API.h"

int BS2_ScanFace(void* context, uint32_t deviceId, BS2Face* face, uint8_t
enrollmentThreshold, OnReadyToScan ptrReadyToScan);
```

[See BS2Face Structure](#)

### Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [Out] *face* : Pointer to store the face data
- [In] *enrollmentThreshold* : Required enrollment threshold - Please refer to the [BS2FaceConfig.enrollThreshold](#)
- [Out] *ptrReadyToScan* : Callback function that is called when it's ready to scan a face

### Return Value

If successfully done, BS\_SDK\_SUCCESS will be returned.

If there is an error, the corresponding error code will be returned.

From:

<https://kb.supremainc.com/kbtest/> - **BioStar 2 Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=en:bs2\\_scanface](https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_scanface)

Last update: **2024/10/24 14:48**