

# Table of Contents

<b><i>BS2_ScanFingerprint</i></b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	1

[Fingerprint API](#) > [BS2\\_ScanFingerprint](#)

---

## BS2\_ScanFingerprint

Scans a fingerprint from a device and extracts template data.

### Declaration

```
#include "BS_API.h"

int BS2_ScanFingerprint(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
OnReadyToScan ptrReadyToScan);
```

[See BS2Fingerprint Structure](#)

### Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [Out] *finger* : Pointer to store the template data
- [In] *templateIndex* : Template data index
- [In] *quality* : Required quality of fingerprint template
- [In] *templateFormat* : Format of the template
- [Out] *outquality* : Quality score of the scanned fingerprint
- [Out] *ptrReadyToScan* : Callback function that is called when it's ready to scan a fingerprint

### Return Value

If successfully done, BS\_SDK\_SUCCESS will be returned.

If there is an error, the corresponding error code will be returned.

### See Also

[BS2\\_VerifyFingerprint](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=en:bs2\\_scanfingerprint&rev=1516663428](https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_scanfingerprint&rev=1516663428)

Last update: **2018/01/23 08:23**