

Table of Contents

BS2_SetCheckGlobalAPBViolationHandler	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

[Zone Control API](#) > [BS2_SetCheckGlobalAPBViolationHandler](#)

BS2_SetCheckGlobalAPBViolationHandler

[+ 2.5.0] Registers callback function for global determination when an APB violation alarm occurs.

Declaration

```
#include "BS_API.h"

int BS2_SetCheckGlobalAPBViolationHandler(void* context,
OnCheckGlobalAPBViolation ptrCheckGlobalAPBViolation);
```

See [OnCheckGlobalAPBViolation](#) callback function

Parameter

- [In] *context* : Context
- [In] *ptrCheckGlobalAPBViolation* : Callback function called for global determination when Anti Passback alarm occurs

NOTE

To use Global Anti Passback service, [BS2AuthConfig](#) useGloable APB should be set to True.

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.
If there is an error, the corresponding error code will be returned.

See Also

[BS2_CheckGlobalAPBViolation](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_setcheckglobalapbviolationhandler

Last update: **2018/03/29 08:54**