


Table of Contents

| | |
|-------------------------------------|---|
| BS2_SetDebugExCallback | 1 |
| 함수 | 1 |
| Parameter | 1 |
| Return Value | 2 |

 **This page is not fully translated, yet. Please help completing the translation.**
(remove this paragraph once the translation is finished)

[Debugging API](#) > [BS2_SetDebugExCallback](#)

BS2_SetDebugExCallback

[+ 2.5.0] Registers the callback function that gets called for debugging message.

함수

```
#include "BS_API.h"

int BS2_SetDebugExCallback(CBDebugExPrint ptrCBDebugExPrint, uint32_t level,
uint32_t module);
```

Parameter

- [In] *ptrCBDebugExPrint* : Callback function that is called for debugging message
- [In] *level* : Debugging information level

| Value | Description |
|------------|-------------|
| 0x00000000 | None |
| 0x00000001 | Fatal |
| 0x00000002 | Error |
| 0x00000004 | Warning |
| 0x00000008 | Information |
| 0x00000010 | Trace |
| 0xFFFFFFFF | All |

- [In] *module* : Debugging module information

| Value | Description |
|------------|------------------|
| 0x00000000 | None |
| 0x00000001 | Keep alive |
| 0x00000002 | Socket Manager |
| 0x00000004 | Socket Handler |
| 0x00000008 | Device |
| 0x00000010 | Device Manager |
| 0x00000020 | Event Dispatcher |
| 0x00000040 | API |
| 0x00000080 | Misc |
| 0xFFFFFFFF | All |

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.

If there is an error, the corresponding error code will be returned.

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_setdebugexcallback&rev=1545184338

Last update: **2018/12/19 10:52**