

Table of Contents

BS2_SetSocketSSLRetryCount	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

[Communication API](#) > [BS2_SetSocketSSLRetryCount](#)

BS2_SetSocketSSLRetryCount

[+ 2.9.1] During SSL socket communication, if an error occurs while reading and writing packets from the socket in the communication section, the SDK automatically retries a certain number of times. This API can change the number of retries.

CAUTION

Increasing the number of retries is a good solution to resolve temporary errors, but be careful as it can waste resources by retrying meaningless reads/writes when reconnecting is required due to direct causes, such as network disconnection.

Declaration

```
#include "BS_API.h"

int BS2_SetSocketSSLRetryCount(void* context, uint32_t count);
```

Parameter

- [In] *context* : Context
- [In] *count* : Retry count setting value

Return Value

If successfully done, BS_SDK_SUCCESS will be returned. If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetSocketSSLRetryCount](#)

From:
<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:
https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_setsocketsslretrycount

Last update: **2023/03/02 16:07**

