

# Table of Contents

<b>BS2_SetTimedAntiPassbackZone</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	1

[Zone Control API](#) > [BS2\\_SetTimedAntiPassbackZone](#)

---

## BS2\_SetTimedAntiPassbackZone

Configures a timed Anti Passback zone.

### Declaration

```
#include "BS_API.h"

int BS2_SetTimedAntiPassbackZone(void* context, uint32_t deviceId,
BS2TimedAntiPassbackZone* zones, uint32_t zoneCount);
```

[See BS2TimedAntiPassbackZone Structure](#)

### Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *zones* : List of timed Anti Passback zones
- [In] *zoneCount* : Number timed of Anti Passback zones

### Return Value

If successfully done, BS\_SDK\_SUCCESS will be returned.  
If there is an error, the corresponding error code will be returned.

### See Also

[BS2\\_GetTimedAntiPassbackZone](#)  
[BS2\\_GetAllTimedAntiPassbackZone](#)  
[BS2\\_GetTimedAntiPassbackZoneStatus](#)  
[BS2\\_GetAllTimedAntiPassbackZoneStatus](#)  
[BS2\\_SetTimedAntiPassbackZoneAlarm](#)  
[BS2\\_RemoveTimedAntiPassbackZone](#)  
[BS2\\_RemoveAllTimedAntiPassbackZone](#)  
[BS2\\_ClearTimedAntiPassbackZoneStatus](#)  
[BS2\\_ClearAllTimedAntiPassbackZoneStatus](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=en:bs2\\_settimedantipassbackzone](https://kb.supremainc.com/kbtest/doku.php?id=en:bs2_settimedantipassbackzone)

Last update: **2016/07/12 09:42**