

BS2_EnrollUserFaceEx	1
.....	1
.....	1
.....	1
.....	1
.....	2

BS2_EnrollUserFaceEx

[+ 2.7.1]

API Visual Face

```
#include "BS_API.h"

int BS2_EnrollUserFaceEx(void* context, uint32_t deviceId,
BS2UserFaceExBlob* userBlob, uint32_t userCount, uint8_t overwrite);
```

[BS2UserFaceExBlob](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *userBlob* :
- [In] *userCount* :
- [In] *overwrite* :

BS_SDK_SUCCESS , 가

C++

```
sdkResult = BS2_EnrollUserFaceEx(context_, id, &userBlob, 1, 1);
if (BS_SDK_SUCCESS != sdkResult)
    TRACE("BS2_EnrollUserFaceEx call failed: %d", sdkResult);

if (userBlob.cardObjs)
    delete[] userBlob.cardObjs;

if (userBlob.fingerObjs)
```

```

    delete[] userBlob.fingerObjs;

    if (userBlob.faceObjs)
        delete[] userBlob.faceObjs;

    if (userBlob.faceExObjs)
    {
        //for (uint32_t index = 0; index < user.numFaces; index++)
        //{
        //    if (userBlob.faceExObjs[index].flag == 0)    // raw image
        delete[] userBlob.faceExObjs;
        //}
    }

```

C#

```

sdkResult = (BS2ErrorCode)API.BS2_EnrollUserFaceEx(sdkContext, deviceID,
userBlob, 1, 1);
List<BS2User> userList = new List<BS2User>();
Int32 selection = Util.GetInput();
cbFaceOnReadyToScan = new API.OnReadyToScan(ReadyToScanForFace);
BS2User user = userList[selection];
BS2UserBlob[] userBlob11 = Util.AllocateStructureArray<BS2UserBlob>(1);

```

[BS2_EnrollUserFaceEx](#)
[BS2_GetUserInfosFaceEx](#)
[BS2_GetUserDatasFaceEx](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar 2 Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_enrolluserfaceex

Last update: **2024/10/24 10:09**