

**BS2\_EnrolUser** ..... 1

..... 1

..... 1

..... 1

..... 2

# BS2\_EnrolUser



```
#include "BS_API.h"

int BS2_EnrolUser(void* context, uint32_t deviceId, BS2UserBlob* userBlob,
uint32_t userCount, uint8_t overwrite);
```

BS2UserBlob

- [In] *context* : Context
- [In] *deviceId* :
- [In] *userBlob* :
- [In] *userCount* :
- [In] *overwrite* :

BS\_SDK\_SUCCESS , 가

C++

```
int UserControl::removeAllUser(BS2_DEVICE_ID id)
{
    int sdkResult = BS2_RemoveAllUser(context_, id);
    if (BS_SDK_SUCCESS != sdkResult)
```

```
        TRACE("BS2_RemoveAllUser call failed: %d", sdkResult);  
  
        return sdkResult;  
    }
```

C#

```
    BS2ErrorCode result = (BS2ErrorCode)API.BS2_EnrolUser(sdkContext, deviceID,  
userBlob, 1, 1);  
  
        if (result != BS2ErrorCode.BS_SDK_SUCCESS)  
        {  
            Console.WriteLine("Got error({0}).",  
result);  
        }  
  
        if (userBlob[0].cardObjs != IntPtr.Zero)  
        {  
Marshal.FreeHGlobal(userBlob[0].cardObjs);  
        }  
  
        if (userBlob[0].fingerObjs != IntPtr.Zero)  
        {  
Marshal.FreeHGlobal(userBlob[0].fingerObjs);  
        }  
  
        if (userBlob[0].faceObjs != IntPtr.Zero)  
        {  
Marshal.FreeHGlobal(userBlob[0].faceObjs);  
        }
```

[BS2\\_GetUserList](#)  
[BS2\\_RemoveUser](#)  
[BS2\\_RemoveAllUser](#)  
[BS2\\_GetUserInfos](#)  
[BS2\\_GetUserInfosEx](#)  
[BS2\\_EnrolUser](#)  
[BS2\\_EnrolUserEx](#)  
[BS2\\_GetUserDatas](#)  
[BS2\\_GetUserDatasEx](#)

From:  
<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:  
[https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2\\_enroluser&rev=1640584679](https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_enroluser&rev=1640584679)

Last update: **2021/12/27 14:57**

