

**BS2\_EnrolUserEx**

.....

.....

.....

.....

.....

.....

1

1

1

1

1

# BS2\_EnrolUserEx



```
#include "BS_API.h"

int BS2_EnrolUserEx(void* context, uint32_t deviceId, BS2UserBlobEx*
userBlob, uint32_t userCount, uint8_t overwrite);
```

BS2UserBlobEx

- [In] *context* : Context
- [In] *deviceId* :
- [In] *userBlob* :
- [In] *userCount* :
- [In] *overwrite* :

BS\_SDK\_SUCCESS, 가

- BS2\_GetUserList
- BS2\_RemoveUser
- BS2\_RemoveAllUser
- BS2\_GetUserInfos

BS2\_GetUserInfosEx  
BS2\_EnrolUser  
BS2\_EnrolUserEx  
BS2\_GetUserDatas  
BS2\_GetUserDatasEx

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2\\_enroluserex&rev=1603331042](https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_enroluserex&rev=1603331042)

Last update: **2020/10/22 10:44**