

**BS2\_GetDoorStatus** ..... 1  
..... 1  
..... 1  
..... 1  
..... 1

# BS2\_GetDoorStatus


가 .

```
#include "BS_API.h"

int BS2_GetDoorStatus(void* context, uint32_t deviceId, uint32_t* doorIds,
uint32_t doorIdCount, BS2DoorStatus** doorStatusObj, uint32_t*
numDoorStatus);
```

BS2DoorStatus

- [In] *context* : Context
- [In] *deviceId* :
- [In] *doorIds* : 가 door id
- [In] *doorIdCount* : door id
- [Out] *doorStatusObj* : door status
- [Out] *numDoorStatus* : door status



BS\_SDK\_SUCCESS , 가

BS2\_GetDoor  
BS2\_GetAllDoor

BS2\_GetAllDoorStatus  
BS2\_SetDoor  
BS2\_SetDoor  
BS2\_SetDoorAlarm  
BS2\_RemoveDoor  
BS2\_RemoveAllDoor  
BS2\_ReleaseDoor  
BS2\_LockDoor  
BS2\_UnlockDoor

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2\\_getdoorstatus](https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getdoorstatus)

Last update: **2016/08/08 15:12**