

BS2_GetFilteredLogFromDirWithKey 1

..... 1

..... 1

..... 1

..... 2

BS2_GetFilteredLogFromDirWithKey

[+2.8.2] USB Data 가 .

```
#include "BS_API.h"

int BS2_GetFilteredLogFromDirWithKey(void* context, const char* szDir, char*
uid, BS2_EVENT_CODE eventCode, BS2_TIMESTAMP start, BS2_TIMESTAMP end,
uint8_t tnakey, BS2Event** logsObj, uint32_t* numLog, const BS2EncryptKey*
key);
```

BS2Event

- [In] *context* : Context
- [In] *szDir* : Data
- [In] *uid* : NULL
- [In] *eventCode* : 0
- [In] *start* : 0
- [In] *end* : 0
- [In] *tnakey* : TNA key 0 TNA key
- [Out] *logsObj* :
- [Out] *numLog* :
- [In] *key* : [BS2_SetDataEncryptKey](#)

logsObj	BS2_ReleaseObject
---------	-----------------------------------

BS_SDK_SUCCESS , 가

[BS2_GetUserDatabaseInfoFromDirWithKey](#)
[BS2_GetUserListFromDirWithKey](#)
[BS2_GetUserInfosFromDirWithKey](#)
[BS2_GetUserDatasFromDirWithKey](#)
[BS2_GetUserInfosExFromDirWithKey](#)
[BS2_GetUserDatasExFromDirWithKey](#)
[BS2_GetLogFromDirWithKey](#)
[BS2_GetLogBlobFromDirWithKey](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_getfilteredlogfromdirwithkey

Last update: **2022/04/12 15:31**