

BS2_GetIntrusionAlarmZoneStatus 1
..... 1
..... 1
..... 1
..... 1

BS2_GetIntrusionAlarmZoneStatus

가

```
#include "BS_API.h"

int BS2_GetIntrusionAlarmZoneStatus(void* context, uint32_t deviceId,
uint32_t* zoneIds, uint32_t zoneIdCount, BS2ZoneStatus** zoneStatusObj,
uint32_t* numZoneStatus);
```

BS2ZoneStatus

- [In] *context* : Context
- [In] *deviceId* :
- [In] *zoneIds* : 가 fire alarm zone id
- [In] *zoneIdCount* : fire alarm zone id
- [Out] *zoneStatusObj* : zone status
- [Out] *numZoneStatus* : zone status



BS_SDK_SUCCESS , 가

[BS2_GetIntrusionAlarmZone](#)
[BS2_GetAllIntrusionAlarmZoneStatus](#)

[BS2_SetIntrusionAlarmZone](#)
[BS2_SetIntrusionAlarmZoneAlarm](#)
[BS2_RemoveIntrusionAlarmZone](#)
[BS2_RemoveAllIntrusionAlarmZone](#)
[BS2_SetIntrusionAlarmZoneArm](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getintrusionalarmzonestatus&rev=1504231785

Last update: **2017/09/01 11:09**