

**BS2\_GetLogBlobFromDir** ..... 1

..... 1

..... 1

..... 1

..... 1

# BS2\_GetLogBlobFromDir

[+ 2.5.0] USB Data EventMask 가 .

```
#include "BS_API.h"

int BS2_GetLogBlobFromDir(void* context, const char* szDir, uint16_t
eventMask, BS2_EVENT_ID eventId, uint32_t amount, BS2EventBlob** logsObj,
uint32_t* numLog);
```

[BS2EventBlob](#)

- [In] *context* : Context
- [In] *szDir* : Data
- [In] *eventMask* : event mask
- [In] *eventId* : ID , 0 가 .
- [In] *amount* : , 0 eventId 가 .
- [Out] *logsObj* :
- [Out] *numLog* :

logsObj [BS2\\_ReleaseObject](#)

BS\_SDK\_SUCCESS , 가

[BS2\\_AllocateUsbContext](#)

BS2\_ReleaseUsbContext  
BS2\_GetUserDatabaseInfoFromDir  
BS2\_GetUserListFromDir  
BS2\_GetUserInfosFromDir  
BS2\_GetUserDatasFromDir  
BS2\_GetUserInfosExFromDir  
BS2\_GetUserDatasExFromDir  
BS2\_GetLogFromDir  
BS2\_GetFilteredLogFromDir

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2\\_getlogblobfromdir](https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getlogblobfromdir)

Last update: **2018/10/30 16:22**