

BS2_GetOsdpStandardActionConfig

.....

.....

.....

.....

.....

.....

(C++)

(C#)

1

1

1

1

1

1

2

[Configuration API](#) > [BS2_GetOsdpStandardActionConfig](#)

BS2_GetOsdpStandardActionConfig

[+ 2.8.4] OSDP action LED/buzzer 가 .

```
#include "BS_API.h"

int BS2_GetOsdpStandardActionConfig(void* context, uint32_t deviceId,
BS2osdpStandardActionConfig* config);
```

[BS2OsdpStandardActionConfig](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *config* : OSDP LED/buzzer

BS_SDK_SUCCESS , 가

.

[BS2_SetOsdpStandardActionConfig](#)

(C++)

[sample_getosdpstandardactionconfig.cpp](#)

```
int sdkResult = BS2_GetOsdpStandardActionConfig(context_, id, &config);
if (BS_SDK_SUCCESS != sdkResult)
    printf("BS2_GetOsdpStandardActionConfig call failed: %d",
sdkResult);
```

```
return sdkResult;
```

(C#)

[sample_getosdpstandardactionconfig.cs](#)

```
BS2ErrorCode result =  
(BS2ErrorCode)API.BS2_GetOsdpStandardActionConfig(sdkContext, deviceID,  
out config);  
if (result != BS2ErrorCode.BS_SDK_SUCCESS)  
    Console.WriteLine("Got error({0}).", result);  
else  
    Console.WriteLine("Call success.");  
return result;
```

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getosdpstandardactionconfig&rev=1675927614

Last update: **2023/02/09 16:26**