

BS2_GetScheduledLockUnlockZone 1

..... 1

..... 1

..... 1

..... 1

BS2_GetScheduledLockUnlockZone

/ 가 .

```
#include "BS_API.h"

int BS2_GetScheduledLockUnlockZone(void* context, uint32_t deviceId,
uint32_t* zoneIds, uint32_t zoneIdCount, BS2ScheduledLockUnlockZone**
zoneObj, uint32_t* numZone);
```

BS2ScheduledLockUnlockZone

- [In] *context* : Context
- [In] *deviceId* :
- [In] *zoneIds* : 가 scheduled lock/unlock zone id
- [In] *zoneIdCount* : scheduled lock/unlock zone id
- [Out] *zoneObj* : scheduled lock/unlock zone
- [Out] *numZone* : scheduled lock/unlock zone

zoneObj	BS2_ReleaseObject
---------	-----------------------------------

BS_SDK_SUCCESS , 가

[BS2_GetAllScheduledLockUnlockZone](#)
[BS2_GetScheduledLockUnlockZoneStatus](#)

[BS2_GetAllScheduledLockUnlockZoneStatus](#)
[BS2_SetScheduledLockUnlockZone](#)
[BS2_SetScheduledLockUnlockZoneAlarm](#)
[BS2_RemoveScheduledLockUnlockZone](#)
[BS2_RemoveAllScheduledLockUnlockZone](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getscheduledlockunlockzone

Last update: **2016/07/12 10:23**